



# GSE

## Airport Ground Support Power

PosiCharge GSE fast charge systems are a cost-effective solution for simultaneously charging up to 10 vehicles. Customized for the airport ground support equipment market, PosiCharge GSE is outdoor-rated to withstand extreme heat or cold and the most severe conditions. GSE is the first choice in fast and environmentally friendly

charging for airports and airlines. The flexible, versatile GSE system can be wall, ceiling, pedestal, rack, or jet-bridge mounted with up to 150 feet between charging stations. And like all PosiCharge chargers, the GSE works with a broad range of battery voltages and has the same data management and on-board intelligence.



### MODEL GSE 800: POWERSERVER

DC POWER RATING	80KW
UTILITY REQUIREMENTS*	480VAC; 60HZ
FULL LOAD AMP DRAW	100A
MAX. CIRCUIT BREAKER RATING	125A
BUSS VOLTAGE	150DC
POWER FACTOR	0.96
EFFICIENCY	95%
WEIGHT	1,425 LBS
DIMENSIONS	62"H X 42"W X 27"D

\* 600VAC ALSO AVAILABLE

### MODEL GSE: POWERSTATION

POWER RATING	60KW
BATTERY VOLTAGE RANGE	24V - 96V
MAX. OUTPUT CURRENT (DUAL MODE)	250A
MAX. OUTPUT CURRENT (SINGLE MODE)	500A
WEIGHT	304 LBS
DIMENSIONS	30"H X 30"W X 19"D
COMMUNICATION PORT	RS232

©AeroVironment, Inc. 2006